Company Presentation

01.03.2020 rev6





ATA GLANCE

A family owned business. Second generation in charge.

Management	Mr. Oğuzhan Arslan Technical Gn.Man. (Ind. Eng.)
	Mr. Kaan Arslan
	Admin.Gn.Man. (BA)
Head of Finance	Mr. Saruhan Arslan (BA)



MILESTONES





1971
Founded as
Hidro Pres Castings

1980Moved to Yenibosna

1993Foundation of Arslan Makina

1995 First Export: Germany



2003 Approval of ISO 9001



2006Entry to Automotive (Finnveden -> Daimler)

2005
Full automated
HPDC machine and
CNC machine

2005 Export firm: Arma Metal Export rate >70%

2010Approval of SVTI ASIT Certification

2013Set-up of internal powder painting shop

Purchase of the land of new plant MRP II -> ERP Implementation

2019 Movement to new factory 13.000 m2 2020 – Q2/3 TARGET IATF 16949-2016 Certification





CAPACITY/CAPABILITY INFORMATION



Die Casting

Pressure die castings in aluminium & zinc from 20 g to 6 kg

Aluminium gravity die castings up to 15 kg

Tool & Fixture Productions

Pressure & gravity die castings & trimming tool production

CAD Software => Solidworks | CAM Software => ESPRIT

Tooling flow simulations





CNC Machining

4 axis precise milling, turning operations



/ CAPACITY/CAPABILITY INFORMATION



Powder Paintings

Multi color powder paint shop

Assembly

Assembly of the components, helicoil inserting etc.

Custom Made Equipment

Custom made equipment can be made according to specific requirements.



/ CAPACITY/CAPABILITY INFORMATION



MRP => ERP + BI

Implementation completed for new ERP system.

Quality / Project

PPAP, APQP, SPC, FMEA, 8D studies can be handled for Automotive customers.

Export Experience

We are exporting products to various European countries since 1995.






ALLOY TYPES & RELATED COLOR CODES

HAMMADDE RENK KODLARI **ARSLAN ALLOY TYPES AND RELATED COLOR CODES** KODU RENKLER / COLORS **EURO NORM** EN 1706 CODE SARI SARI A 140 EN AC AI Si12(b) EN AC 44100 YELLOW YELLOW A SARI **KIRMIZI** A 145 EN AC AI Si12 Cu Ni Mg EN AC 48000 YELLOW RED U MAVI YESIL M A 150 ETÍ NORM E-150 BLUE **GREEN** N YESİL YESIL A 160 EN AC AI Si9 Cu3(Fe) EN AC 46000 **GREEN GREEN** U U MAVI SİYAH A 171 EN AC AI Si10 Mg(Fe) EN AC 43400 **BLACK** BLUE YEŞİL **KIRMIZI** A 177 EN AC AI Si7 Mg0,3 EN AC 42100 **GREEN** RED YEŞİL SARI A 231 EN AC AI Si12(Cu) EN AC 47000 YELLOW **GREEN** BEYAZ SİYAH ZAMAK Zn Al4 Cu1 Z 005 Z-005 WHITE BLACK PARÇA KODLARI / PART CODES YARDIMCI AÇIKLAMA (Paketleme vb. Yardımcı bilgiler) XX YY ZZZZ PP -EXTENSION DESCRIPTIONS (Packing, etc.) HAMMADDE CÍNSÍ (A140, Z005 gibi) RAW MATERIAL (A140, Z005 etc.) ÜRÜN SIRA NUMARASI (01,02,03.....,99) PART CODE (01,02,03....,99) MÜŞTERİ SIRA NUMARASI (01,02,03,....,99) CUSTOMER CODE (01.02.03......99)





CERTIFICATES









TEST CAPABILITIES

Dimensional Inspection - Mutitoyo Crysta 3D CMM

Porosity Level Test – Stereo Microscope

Coating Thickness Test

Chemical Analysis - WAS Spektrometer

Hardness Test - Affri Hardness Tester

X-Ray Inspection- YXLON – 225Kv – MU 2000 (2018) Tensile


Test – External Lab (Rm, Rp, %Elong.)(KOSGEB) Special Test

Fixtures & Gauges

Zeiss 3D CMM

Mahr Surface Roughness and Contour Measurement

RPT Density Control





TEST CAPABILITIES



X-Ray Inspection *Yxlon*

Surface Roughness and Contour Measurement MahrSurf



MEASUREMENT CAPABILITIES




CASTING SIMULATION


New project designs, optimised for better castings with close customer cooperation.

To enhance better results in new projects Casting Simulation Software "ANYCASTING" is used for,


- Liquid Filling Analysis
- Solidification Patterns




Filling Time, Material Flow



Air Pressure



Particle Tracing



Runner Optimisation



HUMAN RESOURCES


We can achieve competitiveness and success only through teamwork and focused efforts of an engaged, dedicated and capable workforce

AIM: To employ promising, motivated individuals and then help them to realise their potential by enhancing their capabilities and by increasing their education so they become effective.

Since Q4 2016, we actively employ a company wide Suggestion System with rewards and systematic follow-ups to engage every employee to increase our efficiency.



2018 TURNOVER RATIO



Sector	Turnover Ratio
Electronic	33,6 %
Automation	28,7 %
Automotive	10,8 %
Other	9,8 %
Drive Technology	4,5 %
Energy	4,0 %
Military	3,5 %
Lighting	1,9 %
Industrial	1,6 %
Air Systems	0,7 %
Telecom	0,4 %
Hydraulics	0,4 %



PHOTO GALLERY Casting Shop





PHOTO GALLERY CNC Machining Shop













Shot Blasting & Vibro Process





Washing / Helicoil Insert / Assembly





Final Control & Packaging













Part Name	Deckel VS	PM80 Lagerschale	Bursting Disc Deflector	Connection Lever Stiff	
Material	EN AC 46000	EN AC 46000	EN AC 42100	EN AC 42100	
Weight	360 g	150 g	2.660 g	980 g	
Cavity	1	2	1	1	
Annval Qty.	4.000-6.000	8.000-10.000	4.000-7.000	5.000-7.500	
Sector	Valve Systems	Drive Systems	Energy	Energy	













Part Name	Pressure Relief Device	Drosselklappen Gehause	B-Lagergehause	Deckel Cet
Material	EN AC 43400	EN AC 43400	EN AC 46000	EN AC 47000
Weight	3.080 g	2.100 g	550 g	75 g
Cavity	1	1	1	1
Annval Qty.	1.000-2.000	1.000-2.500	2.000-3.000	40.000-60.000
Sector	Energy	Engine Systems	Electric Bike	Safety Switch













Part Name	Pedelec Safety Cover	J Box and Cover	Gehause Links	Gehause STP
Material	EN AC 46000	EN AC 46000	EN AC 46000	EN AC 47000
Weight	850 g	750 g	665 g	150 g
Cavity	1	1	1	1
Annval Qty.	5.000-10.000	2.500-5.000	80.000-100.000	40.000-60.000
Sector	Safety Systems	Electric System	Electric Bike	Safety Switch













Part Name	DEUTZ BRAKET	MTC 6/15" Housing	PTXB-10" Housing	DECKEL Ø24
Material	EN AC 46000	EN AC 46000	EN AC 43400	EN AC 46000
Weight	106 g	2.100 g	950 g	70 g
Cavity	4	1	1	4
Annval Qty.	90.000-110.000	3.000-5.000	80.000-100.000	80.000-100.000
Sector	Automotive	Electonic	Electric Bike	Electric Bike





INVESTMENT PLANS 2018-2020

	Goal / Investment	Description	Planned Date	Status
YALON STATES OF THE PARTY OF TH	XRAY	XRAY MACHINE • YXLON YMU-200D / 225 KV • CT Ready	2018 Q3	Completed
No. No. of the	Mahr	Mahr CD 280 Contour and Surface Measurement	2018 Q4	Completed
	Central Melting Furnace BOTTA (Italy)	 Gas Powered Tower Type 1500 Kgs Holding 600 Kgs/Hour Melting capacity 	2019 Q2	Completed



INVESTMENT PLANS 2018-2020

Goal / Investment	Description	Planned Date	Status
OMS PRESS Automated Die Casting Machine (Italy)	 480 Tons Locking Force Auto Ladler Auto Sprayer 	2019-Q2	Completed
Liquid Metal Transfer System	 Electric Powered 500 Kgs Transfer Capacity 3 x Transfer pots for different alloys 	2019-Q2	Completed
DOGUS Foundry Degassing Unit (FDU)	 Plc Controlled 200-1200 Kgs Capacity Auto Flux Feeding System 	2019-Q2	Completed



INVESTMENT PLANS 2018-2020

	Goal / Investment	Description	Planned Date	Status
	DENSITY INDEX MEASUREMENT SYSTEM	 Control and optimize the cleaning of the Melt. Density Index Equipment. Saving the measure results. 	2019-Q4	Completed
Total Control	+1 new Brother CNC Machining Centers (R650X1)	 4 axis, 16K rpm, Renishaw Laser (TRS2) and Parts Probes (OMP40) High pressure internal coolant High speed machining for Alu parts 	2020-Q1	Completed
	METALPRES HPDC MACHINE -750 TONS COMPLETE CELL CONCEPT	 Including 3 robots, AutoLadler, Auto Sprayer KUKA 6 Axis Extractor Tool thermo regulator & Vacuum system Integrated Trimming Press 	2020 Q1	IN PROGRESS



EXPANSION IN NEW PLANT

(COMPLETED IN 2019)

Description

New factory building investment by ARSLAN in the new Organized Industry Area with modern infrastructure. (Hadımköy Industrial Zone)

Location

25 Km West Direction from Atatürk Airport.

27 Km South Direction from New 3rd Airport.


Easy Access to New Airport

Facts

Total Closed Area 13.000 m2

Optimized Production Lay-out

Quadrapled Area for New Investments





EXPANSION IN NEW PLANT (COMPLETED IN 2019)

Description

New factory building investment by ARSLAN in the new Organized Industry Area with modern infrastructure. (Hadımköy Industrial Area)

Location

25 Km West Direction from Atatürk Airport.27 Km South Direction from New 3rd Airport.Easy Access to New Airport

Facts

Total Closed Area 13.000 m2

Optimized Production Lay-out

Quadrapled Area for New Investments



Thank you for your attention.

